

©

# Endraulic

EQUIPMENT



*Equipment*  
**CATALOGUE**

# EXCAVATORS

<b>Model</b>	<b>Weight [kg]</b>	<b>Width [mm]</b>	<b>Dig Depth [mm]</b>	<b>Engine Make</b>	<b>Engine Power [kW]</b>
<b>SWE10UB</b>	1100	750 / 1000	1813	Yanmar	7.2
<b>SWE17B</b>	1870	980 / 1310	2155	Yanmar	9.9
<b>SWE18B</b>	1810	980 / 1310	2155	Perkins	14.7
<b>SWE18UB</b>	1880	990 / 1320	2206	Perkins	14.7
<b>SWE25UB</b>	2500	1500	2840	Yanmar	14
<b>SWE30UB</b>	3460	1560	2480	Yanmar	19.3
<b>SWE40UB</b>	4130	1740	2850	Kubota	23.8
<b>SWE60B</b>	6310	1880	3760	Yanmar	33.7
<b>SWE70B</b>	6630	2080	3960	Yanmar	43.4
<b>SWE80B</b>	7860	2150	4190	Yanmar	43.4
<b>SWE90UB</b>	8160	2320	3896	Yanmar	43.4
<b>SWE150E</b>	14400	2600	5640	Isuzu	92
<b>SWE230E</b>	22600	2990	6685	Isuzu	125
<b>SWE365E</b>	35800	3190	7455	Isuzu	184





# SKID STEER LOADERS

<b>Model</b>	<b>Weight [kg]</b>	<b>Width [mm]</b>	<b>Lift Height [mm]</b>	<b>Rated Load [kg]</b>	<b>Engine Make</b>
<b>2012</b>	1352	909	2438	386	Yanmar
<b>1050R</b>	1814	1229	2746	476	Yanmar
<b>1350R</b>	2304	1336	2784	612	Yanmar
<b>1650R</b>	2777	1605	3023	748	Yanmar
<b>1900R</b>	3121	1638	3061	862	Yanmar
<b>2200R</b>	3620	1664	3124	998	Yanmar
<b>2700V</b>	3697	1765	3310	1225	Yanmar
<b>4200V</b>	5291	2057	3653	1905	Deutz
<b>1650RT</b>	3638	1676	3038	748	Yanmar
<b>1750RT</b>	3903	1686	3251	794	Yanmar
<b>2500RT</b>	5203	1765	3251	1134	Deutz





# WHEEL LOADERS

<b>Model</b>	<b>Weight [kg]</b>	<b>Rated Load [kg]</b>	<b>Lift Height [mm]</b>	<b>Bucket Capacity [m<sup>3</sup>]</b>	<b>Engine Make</b>	<b>Engine Power [kW]</b>
WL120E	3300	1200	3550	0.7	Xichai	37
WL180E	5500	1800	3800	1.0	Yunnei	76
WL200E	6000	2000	4250	1.2	Yuchai	63
WL200E-C	6000	2000	4280	1.2	Cummins	74
WL250E	7300	2500	4280	1.3	Deutz	92
WL300E	10000	3000	4150	1.7	Deutz	92
WL350E	12000	3500	4210	2.5	Cummins	110
WL500E	17000	5000	4100	3.5	Cummins	160





# WHEEL LOADERS

<b>Model</b>	<b>Weight [kg]</b>	<b>Rated Load [kg]</b>	<b>Lift Height [mm]</b>	<b>Bucket Capacity [m<sup>3</sup>]</b>	<b>Engine Make</b>	<b>Engine Power [kW]</b>
<b>1.63</b>	3100	975	2959	0.5	Yanmar	36
<b>4.63</b>	5400	2100	3260	1.0	Yanmar	53
<b>7.63</b>	7860	2500	3615	1.4	Deutz	78
<b>9.63</b>	9000	2750	3700	1.8	Deutz	95
<b>12.63</b>	12500	4000	4000	2.2	Deutz	121
<b>18.63</b>	19900	6450	4200	3.7	Deutz	163








# FORK LIFTS

<b>Model</b>	<b>Rated Load [kg]</b>	<b>Engine Type</b>	<b>Engine Make</b>	<b>Tyre Type</b>	<b>Mast Type</b>	<b>Turning Radius [mm]</b>
<b>VMax</b>						
CPCD18	1800	Diesel	Xinchai	Pneumatic	Triplex Container	2060
CPCD25	2500	Diesel	Xinchai	Pneumatic	Triplex Container	2240
<b>CT Power</b>						
7L-FD/FG18	1800	Diesel/LPG/Petrol	Yanmar/Nissan	Solid	Triplex Container	1980
7L-FD/FG25	2500	Diesel/LPG/Petrol	Yanmar/Nissan	Solid	Triplex Container	2250
7L-FD/FG30	3000	Diesel/LPG/Petrol	Yanmar/Nissan	Solid	Triplex Container	2415
7L-FD/FG35	3500	Diesel/LPG/Petrol	Yanmar/Nissan	Solid	Triplex Container	2615
7L-FD/FG40	4000	Diesel/LPG/Petrol	Yanmar/Nissan	Solid	Triplex Container	2850
7L-FD/FG45	4500	Diesel/LPG/Petrol	Yanmar/Nissan	Solid	Triplex Container	2900
7L-FD/FG50	5000	Diesel/LPG/Petrol	Yanmar/Nissan	Solid	Triplex Container	3050
7L-FD/FG60	6000	Diesel	Yanmar	Solid	Triplex Container	3420
7L-FD/FG70	7000	Diesel	Yanmar	Solid	Triplex Container	3485
7L-FD/FG80	8000	Diesel	Yanmar	Solid	Triplex Container	3735







# AUGERS...



<b>Drive Model</b>	<b>Output Shaft [kg]</b>	<b>Center Weight [tonne]</b>	<b>Max Flow [LPM]</b>	<b>Max Pressure [BAR]</b>	<b>Max Torque [Nm]</b>	<b>Weight [kg]</b>
PDX	50.8mm HEX	.5-2	20-40	240	1,900Nm	45
PDX2	50.8mm HEX	2-4	30-50	240	2,500Nm	45
PDX3	50.8mm HEX	2-4	40-60	240	2,950Nm	45
PD3	50.8mm HEX	4-6	50-70	240	3,700Nm	56
PD3-2spd	50.8mm HEX	3-6	30-75	200	2,950Nm	75
PD4	50.8mm HEX	4-6	60-80	240	4,600Nm	56
PD5	50.8mm HEX	4-6	75-95	240	5,700Nm	62

# & RAMPS

<b>Model</b>	<b>Capacity [Per Pair]</b>	<b>Weight [Per ramp]</b>	<b>Length [mm]</b>	<b>Dimensions</b>			
				<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
L100/270	1900	20	2700	380	300	100	30
125/330	3000	32	3300	490	400	125	40
150/330	4500	43	3300	550	450	150	45
150/360	4500	47	3600	550	450	150	45
175/360	6000	58	3600	650	530	175	60
200/360	7500	68	3600	730	600	200	60





1350R

X  
SERIES

RATED  
CAPACITY  
3000 KG

# ATTACHMENTS & ACCESSORIES

**EDGE**  
*Attachments*

Blades



Grader Blades

Brooms



Grapples

Chipper



Log Splitter

Concrete Tools



Mowers



Mulchers



Pallet Forks



Rock Wheels



Rakes



Tree Spades



Buckets



Stump Grinders



Augers



Power Rake



Cold Planer



6-Way Dozer Blade /  
Grader / Leveler

**ERSKINE**  
ATTACHMENTS LLC





# OTT TRACKS



An over-the-tyre add-on that increases skid steer loader traction, flotation and tyre life. Installed in only 20 minutes, it'll enhance the productivity of your skid steer loader on asphalt, concrete & turf surfaces without causing damage or marks.



*They're superb. Great for top soil; I use them all year round. I should get a third year out of this set and I would have gone through 3 sets of tyres without them.*



*C Kilmartin, Auckland*



*Tracks are awesome....don't know why you didn't sell me some sooner! .....very happy*

*Brian M, Auckland*

# EXCAVATOR TRACKS



Endraulic supply most sizes of high quality rubber tracks from Tonly. Tonly have been manufacturing high quality rubber products since 1958 and their tracks are distributed by the largest aftermarket parts supplier in the USA and Europe.



We stock an extensive range of Camsco, Grouser and Tonly OTT and Excavator Tracks



# DUAL DOZER

## Laser Controlled

**Full Machine Control. Accurate to within 5mm. Complete jobs up to 10x faster!**

Wheels mounted behind the blade Operates right up to pad edges and into corners

Dual Blades Allows operation in forwards and reverse

Changeable Rollback Stop Easily fitted to any make or model of skid steer loader

Tractor Mount Option Operates on tractors too!

**Contact our Parts Department  
for all the details...**

*I'm really pleased with that blade. It's awesome  
how fast we can do a factory floor and we get it  
within 3mm. It's a great tool.*

*T King, Auckland*



### Model DD6

Width 6 ft (1800mm)

Weight 1500 lbs (682 kg)

### Model DD7

Width 7 ft (2100mm)

Weight 1600 lbs (727 kg)

### Model DD8

Width 8 ft (2400mm)

Weight 1700 lbs (773 kg)

## LEICA LASER PACKAGE



## DAVE BELL LASERS









**0800 468 782**

NATIONWIDE

## **SERVICE AGENTS**

**Auckland** Endraulic - Workshop | Tel 0800 468 782

**Waikato** Pro Mechanical | Tel 07 957 2695

**Gisborne** Gisborne Hydraulics Ltd | Tel 06 868 6226

**Rotorua** Top Gear Rotorua Ltd | Tel 0274 707 014

**Taupo** Taupo Parts & Services | Tel 07 378 2673

**Taranaki** Mugeridge Diesel Services | Tel 0274 334 747

**Wanganui** CRV Equipment | Tel 06 348 7860

**Palmerston North** Central Forklifts | Tel 06 323 1908

**Horowhenua** McLachlans Services | Tel 027 675 2914

**Wellington** Industrial Equipment Servicing | Tel 04 589 0350

**Nelson** Thwaites Diesel Nelson Limited | Tel 03 547 1400

**Blenheim** Hamilton's Machinery Services | Tel 03 578 5863

**Canterbury** GMH Technologies | Tel 021 160 8002

**Greymouth** Colin Homes Hydraulics | Tel 027 435 1850

**Otago** Ferguson Engineering | Tel 03 489 6452

**Southland** Industrial Equipment Services | Tel 03 214 4074

**Endraulic** 47 Rennie Drive, [Entrance off Montgomery] Mangere, Auckland 2022  
**Tel** + 64 9 274 5059 | 0800 468 782 **Email** info@endraulic.co.nz  
**Post** PO Box 74053, Greenlane, Auckland 1546 **Web** www.endraulic.co.nz  
**Hours** Mon-Fri 8:00am - 5:00pm | Saturday by appointment